

GENERAL WATER/SEWER NOTES

1. WATER AND SEWER SYSTEMS ARE TO BE CONSTRUCTED IN GENERAL ACCORDANCE WITH ALL CITY OF ROCK HILL AND SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL (SCDHEC) REGULATIONS, REFERENCED WATER AND SEWER STANDARDS AND SPECIFICATIONS.
2. WATER AND SEWER CONSTRUCTION ON THIS SITE IS AUTHORIZED BY PERMITS ISSUED BY SCDHEC. THE WORK IS SUBJECT TO INSPECTION AT ALL TIMES BY REPRESENTATIVES OF SCDHEC, CITY OF ROCK HILL, AND THE ENGINEER OF RECORD. THE PERMITS REQUIRE CERTIFICATION OF COMPLETION BY THE ENGINEER OF THE WATER AND SEWER SYSTEMS PRIOR TO CITY ACCEPTANCE AND ISSUANCE OF FINAL OPERATIONAL APPROVAL BY SCDHEC.
3. CONTRACTOR SHALL VERIFY THE ACTUAL LOCATION AND ELEVATION FOR ALL UTILITIES, DRAINAGE, AND OTHER UNDERGROUND FACILITIES, AND SHALL NOTIFY THE ENGINEER OF RECORD OF ANY DISCREPANCY OR CONFLICTS PRIOR TO CONSTRUCTION.
4. CONTRACTOR SHALL BE RESPONSIBLE FOR THE COST OF LOCATING AND MARKING ALL EXISTING UNDERGROUND UTILITIES. CONTACT SC811 AT 811 (INSIDE SC) OR 888-721-7877 (OUTSIDE SC), A MINIMUM OF 72 HOURS BEFORE DIGGING.
5. CONNECTION TO ANY EXISTING LINES SHALL BE BY THE CONTRACTOR IN THE PRESENCE OF CITY OF ROCK HILL INSPECTION PERSONNEL. PLUG NEW CONNECTION UNTIL CONSTRUCTION AND TESTING HAS BEEN COMPLETED, INSPECTED BY THE ENGINEER OF RECORD AND CITY OF ROCK HILL, AND FINAL CONNECTION IS AUTHORIZED.
6. UTILITY SERVICE PIPING SHALL BE ROUTED THROUGH SOFT AREAS AND NOT BE LOCATED UNDER PAVED DRIVEWAYS AND SIDEWALKS.
7. CITY OF ROCK HILL SHALL OWN AND MAINTAIN THE PROPOSED WATER AND SANITARY SEWER LINES UPON COMPLETION, INSPECTION, APPROVAL, AND ACCEPTANCE OF THE WORK.
8. TEMPORARY EROSION CONTROL MEASURES (I.E. SILT FENCE, INLET PROTECTION, CHECK DAMS, ETC.) SHALL BE REMOVED AT THE END OF THE PROJECT.

CITY OF ROCK HILL  
 UTILITIES DEPARTMENT  
 757 S. ANDERSON ROAD  
 ROCK HILL, SC 29730



STANDARD DETAIL

NOTES—GENERAL WATER/SEWER

REVISIONS:	DATE:	FILE NAME
	FEB. 2018	10.01
	SCALE: N.T.S.	